

Selection Criteria

Road Type: SECT

ROAD SECTIONS

Road Id: 4013C681 0/00010 CASTLE ROAD : SKIPTON ROAD TO VENABLES

Date Inspected From: 01-JAN-2009

Date Inspected To: 17-JAN-2011

Inspector:

Inspection Batch Id:

Defect Priority:

Notifiable Organisation:

Include Comments (Y/N): N

No

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-AUG-2009	Inspector: DC	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 341599	
Defect Id:	234710	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:J/W VENABLES AVE COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:567	XSP: 5	Def Cnt:13
Permanent					
Defect Id:	234711	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 74 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:543	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234712	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 72 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:512	XSP: 5	Def Cnt:13
Permanent					
Defect Id:	234713	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S AND OPP 72 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:508	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234714	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 70 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:495	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234715	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 66 AND 64 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:461	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234716	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:ADJ TO L/C NO 9 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:353	XSP: 9	Def Cnt:13
Permanent					

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-AUG-2009	Inspector: DC	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 341599	
Defect Id:	234717	Type: PDLV Failed patch : difference in level	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP L/C NO 9 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:350	XSP: 4	Def Cnt:13
Permanent					
Defect Id:	234718	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 51 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:304	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234719	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 47 AND 49 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:284	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234720	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S AND ADJ 42A COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:159	XSP: 5	Def Cnt:13
Permanent					
Defect Id:	234721	Type: IDLF Diff in level with adj surface Footway	Recharge:	Notify:B.T.	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 24 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. VISITED SITE AND NOW REPORTED DEFECT TO BT		St Chain:103	XSP: 9	Def Cnt:13
Permanent					
Defect Id:	234722	Type: PDLV Failed patch : difference in level	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 18 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:67	XSP: 9	Def Cnt:13
Permanent					
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 341606	
Defect Id:	234733	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 25 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:112	XSP: 2	Def Cnt:6
Permanent					

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-AUG-2009	Inspector: DC	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 341606	
Defect Id:	234734	Type: OTHR Other	Recharge:	Notify:	Upd Inv:
Defect Descr:	FWAY IN DISREPAIR	Priority: 5D	Locn: JUNC MANOR RD COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. VERY LARGE AREA REQUIRES WORK - INVOLVE FULL		St Chain: 148	XSP: 2	Def Cnt: 6
Permanent					
Defect Id:	234735	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority: 5D	Locn: O/S 31 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain: 176	XSP: 4	Def Cnt: 6
Permanent					
Defect Id:	234736	Type: SLPF Slab profile : uneven/trips	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority: 5D	Locn: O/S 35 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. REMOVED (5 X .6) X 1.5 FLAGS AND BASE		St Chain: 206	XSP: 2	Def Cnt: 6
Permanent					
Defect Id:	234737	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority: 5D	Locn: O/S 51		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain: 302	XSP: 4	Def Cnt: 6
Permanent					
Defect Id:	234738	Type: SLPF Slab profile : uneven/trips	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority: 5D	Locn: O/S 53 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. REMOVED 2 NO PCCFS WITH WHITE DOTS AND REPLA		St Chain: 325	XSP: 2	Def Cnt: 6
Permanent					

Inspectors Name: David Cowburn

Date Signed: _____

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 19-MAY-2009	Inspector: GT	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 326067	
Defect Id:	223605	Type: PDLV	Failed patch : difference in level	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S ROUNDHAY	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:542	Siss: ALL
Permanent				XSP:9	Def Cnt:6
Defect Id:	223606	Type: PDLV	Failed patch : difference in level	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 72	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:511	Siss: ALL
Permanent				XSP:9	Def Cnt:6
Defect Id:	223607	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 72	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:515	Siss: ALL
Permanent				XSP:5	Def Cnt:6
Defect Id:	223608	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 66	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:463	Siss: ALL
Permanent				XSP:5	Def Cnt:6
Defect Id:	223609	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:J/W CASTLE COURT	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:380	Siss: ALL
Permanent				XSP:5	Def Cnt:6
Defect Id:	223610	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:J/W MANOR RD COLNE	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:157	Siss: ALL
Permanent				XSP:4	Def Cnt:6

Inspectors Name: Gary Turnbull

Date Signed: _____

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 04-MAR-2010	Inspector: GT	Initiation Type: NRD
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: RT2	Insp Id: 374148	
Defect Id:	254363	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP NO 30 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:117	XSP: 4	Def Cnt:6
Permanent					
Defect Id:	254364	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:J/W MANOR RD		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:150	XSP: 5	Def Cnt:6
Permanent					
Defect Id:	254365	Type: PDLV Failed patch : difference in level	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 56 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:318	XSP: 9	Def Cnt:6
Permanent					
Defect Id:	254366	Type: IBCK Cracked or broken	Recharge:	Notify:UUWATER	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 51 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. NEW BOX FITTED AND TARMAC		St Chain:307	XSP: 4	Def Cnt:6
Permanent					
Defect Id:	254367	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP EL SUB STN COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:345	XSP: 9	Def Cnt:6
Permanent					
Defect Id:	254368	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 66 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. COMPLETED		St Chain:459	XSP: 5	Def Cnt:6
Permanent					

Inspectors Name: Gary Turnbull

Date Signed: _____

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 27-MAY-2010	Inspector: GT	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: RT	Insp Id: 391463	
Defect Id:	268273	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 72 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:513	XSP: 5	Def Cnt:6
Permanent					
Defect Id:	268274	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 70 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:488	XSP: 9	Def Cnt:6
Permanent					
Defect Id:	268275	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 64 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:445	XSP: 2	Def Cnt:6
Permanent					
Defect Id:	268276	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:ADJ TO J/W CASTLE COURT COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:413	XSP: 5	Def Cnt:6
Permanent					
Defect Id:	268277	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:J/W CASTLE COURT COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:384	XSP: 5	Def Cnt:6
Permanent					
Defect Id:	268278	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 49 COL		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:288	XSP: 5	Def Cnt:6
Permanent					

Inspectors Name:
Gary Turnbull

Date Signed:

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 19-AUG-2010	Inspector: GT	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 410227	
Defect Id:	281222	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:ADJ TO L/C NO 13 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:500	XSP: 5	Def Cnt:8
Permanent					
Defect Id:	281223	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:J/W CASTLE COURT COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:390	XSP: 5	Def Cnt:8
Permanent					
Defect Id:	281224	Type: PDLV Failed patch : difference in level	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP L/C NO 9 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:343	XSP: 4	Def Cnt:8
Permanent					
Defect Id:	281225	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 56 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:320	XSP: 9	Def Cnt:8
Permanent					
Defect Id:	281226	Type: MISS Missing	Recharge:	Notify:UNKNOWN	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 51 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. DEFECT NOTICE 292 SENT TO UU (THEIR REF 520000386361)		St Chain:305	XSP: 4	Def Cnt:8
Permanent					
Defect Id:	281227	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 21 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:96	XSP: 4	Def Cnt:8
Permanent					
Defect Id:	281228	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:ADJ TO AND OPP L/COL 2 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR		St Chain:80	XSP: 4	Def Cnt:8
Permanent					

Road Group:		4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 19-AUG-2010	Inspector: GT	Initiation Type: NRW
Road Section:		4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: IB	Insp Id: 410227	
Defect Id:	281229	Type: POTH	Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:			Priority:5D	Locn:O/S 18 COLNE		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. PERMANENT REPAIR			St Chain:63	XSP:9	Def Cnt:8
Permanent						
<u>Inspectors Name:</u> Gary Turnbull				<u>Date Signed:</u> _____		

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-FEB-2009	Inspector: IB	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: GT	Insp Id: 311209	
Defect Id:	212312	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S AND ADJ 72		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3		St Chain:510	XSP:9	Def Cnt:11
Permanent					
Defect Id:	212313	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 66		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3		St Chain:463	XSP:5	Def Cnt:11
Permanent					
Defect Id:	212314	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S AND OPP 64		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3/		St Chain:451	XSP:9	Def Cnt:11
Permanent					
Defect Id:	212315	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:J/W CASTLE COURT		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3		St Chain:385	XSP:5	Def Cnt:11
Permanent					
Defect Id:	212316	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:ADJ TO L/C NO 9		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3		St Chain:350	XSP:5	Def Cnt:11
Permanent					
Defect Id:	212317	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 56		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3		St Chain:311	XSP:9	Def Cnt:11
Permanent					
Defect Id:	212318	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 49		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLE WILL BE FILLED FROM 1/3 TO 13/3		St Chain:285	XSP:9	Def Cnt:11
Permanent					

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-FEB-2009	Inspector: IB	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: GT	Insp Id: 311209	
Defect Id:	212319	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 45		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLES WILL BE FILLED FROM 1/3 TO 13/3		St Chain:263	XSP:9	Def Cnt:11
Permanent					
Defect Id:	212320	Type: SLPF Slab profile : uneven/trips	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 37		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 TOOK UP AND RELAYED X 4 - 600 X 900 FLAGS, MADE S		St Chain:215	XSP:2	Def Cnt:11
Permanent					
Defect Id:	212321	Type: SLPF Slab profile : uneven/trips	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 35		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 TOOK UP AND RELAYED FLAG, MADE SAFE, NO TRIPS		St Chain:199	XSP:2	Def Cnt:11
Permanent					
Defect Id:	212322	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:J/W MANOR RD		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 POTHOLES WILL BE FILLED FROM 1/3 TO 13/3		St Chain:154	XSP:4	Def Cnt:11
Permanent					

Inspectors Name: Ian Bartlett

Date Signed: _____

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 16-NOV-2009	Inspector: IB	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: DC	Insp Id: 357295	
Defect Id:	242843	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 62 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:441	XSP:2	Def Cnt:7
Permanent					
Defect Id:	242844	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:ADJ L/C 9 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:345	XSP:9	Def Cnt:7
Permanent					
Defect Id:	242845	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP L/C 9 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:345	XSP:4	Def Cnt:7
Permanent					
Defect Id:	242846	Type: SLPF Slab profile : uneven/trips	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 53 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:325	XSP:2	Def Cnt:7
Permanent					
Defect Id:	242847	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:OPP 51 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6 DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:303	XSP:9	Def Cnt:7
Permanent					
Defect Id:	242848	Type: PDLV Failed patch : difference in level	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 30 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:121	XSP:9	Def Cnt:7
Permanent					
Defect Id:	242849	Type: POTH Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:		Priority:5D	Locn:O/S 4 COLN		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6. DUE TO EXTREME WEATHER CONDITIONS STARTING		St Chain:35	XSP:2	Def Cnt:7
Permanent					

Inspectors Name: Ian Bartlett

Date Signed: _____

Road Group:	4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-NOV-2010	Inspector: IB	Initiation Type: NRW
Road Section:	4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: GT	Insp Id: 429259	
Defect Id:	294899	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 74 COLNE	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:532	Siss: ALL
Permanent				XSP:9	Def Cnt:9
Defect Id:	294900	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 70 COLNE	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:496	Siss: ALL
Permanent				XSP:5	Def Cnt:9
Defect Id:	294901	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S AND ADJ 68 COLNE	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:480	Siss: ALL
Permanent				XSP:9	Def Cnt:9
Defect Id:	294902	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:D	Locn:J/W CASTLE COURT COLNE	Upd Inv:
Special Instr:	RISK MATRIX SCORE 9 LOCAL AUTHORITY INFORMED			St Chain:383	Siss: ALL
Permanent				XSP:5	Def Cnt:9
Defect Id:	294903	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:ADJ TO L/C NO 9	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:348	Siss: ALL
Permanent				XSP:9	Def Cnt:9
Defect Id:	294904	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 56A	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:342	Siss: ALL
Permanent				XSP:5	Def Cnt:9
Defect Id:	294905	Type: POTH	Pothole	Recharge:	Notify:
Defect Descr:			Priority:5D	Locn:O/S 56	Upd Inv:
Special Instr:	RISK MATRIX SCORE 6			St Chain:314	Siss: ALL
Permanent				XSP:9	Def Cnt:9

Road Group:		4013C681 0	BARNOLDSWICK ROAD : GISBURN ROAD T	Date Inspected: 18-NOV-2010	Inspector: IB	Initiation Type: NRW
Road Section:		4013C681 0/00010	CASTLE ROAD : SKIPTON ROAD TO VENABLES AVENUE	Second Inspector: GT	Insp Id: 429259	
Defect Id:	294906	Type: MISS	Missing	Recharge:	Notify:	Upd Inv:
Defect Descr:			Priority:5D	Locn:O/S 42A		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6			St Chain:161	XSP:9	Def Cnt:9
Permanent						
Defect Id:	294907	Type: POTH	Pothole	Recharge:	Notify:	Upd Inv:
Defect Descr:			Priority:5D	Locn:J/W AND OPP MANOR RD		Siss: ALL
Special Instr:	RISK MATRIX SCORE 6			St Chain:155	XSP:4	Def Cnt:9
Permanent						
<u>Inspectors Name:</u> Ian Bartlett				<u>Date Signed:</u> _____		

No Comments Request