

	Oloodi Co k	701110011 0 1/00/2000 and 0 1/00/2001		
School 00133	BLEASDALE HOUSE SCHOOL	Closure Reasons Safety Other - following extensive negotiation betwe	<b>Start Date</b> 19/07/2007	Days Close 1
00136	MASSEY HALL SCHOOL - FORMER	Adverse Weather Safety	26/01/2007	1
00136	MASSEY HALL SCHOOL - FORMER	Adverse Weather Safety	25/01/2007	1
00136	MASSEY HALL SCHOOL - FORMER	Contractual Delays Safety	24/01/2007	1
00136	MASSEY HALL SCHOOL - FORMER	Contractual Delays Safety	23/01/2007	1
00136	MASSEY HALL SCHOOL - FORMER	Contractual Delays Safety	22/01/2007	1
00136	MASSEY HALL SCHOOL - FORMER	Adverse Weather	19/01/2007	1
00136	MASSEY HALL SCHOOL - FORMER	Adverse Weather	18/01/2007	.5
00139	HILLSIDE SCHOOL LONGRIDGE	Environmental Health Safety Other - Chemical explosion in the local vicini	02/07/2007	1
		Excessive Staff Absence		
01002	DALLAS ROAD COMMUNITY PRIMARY SCHOOL	Funeral	23/11/2006	.5
01002	DALLAS ROAD COMMUNITY PRIMARY SCHOOL	No Water	20/10/2006	1
01023	TATHAM FELLS CHURCH OF ENGLAND VOLUNTARY CONTROLLED PRIMARY SCHOOL	No Water	20/03/2007	.5
01038	COCKERHAM PAROCHIAL CHURCH OF ENGLAND PRIMARY SCHOOL	Adverse Weather Safety	18/01/2007	.5
01046	OVERTON ST HELEN'S CHURCH OF ENGLAND PRIMARY SCHOOL	Funeral	27/11/2006	1
01058	HEYSHAM TRUMACAR COMMUNITY PRIMARY SCHOOL	Environmental Health Excessive Staff Absence	31/01/2007	1
01058	HEYSHAM TRUMACAR COMMUNITY PRIMARY SCHOOL	Environmental Health Excessive Staff Absence	30/01/2007	1
01060	WESTGATE PRIMARY SCHOOL	Unplanned event	03/05/2007	1
01112	OUR LADY'S CATHOLIC COLLEGE LANCASTER	Other - A decision was taken on the 3rd Apri	04/04/2007	1
02009	ST MARY'S CATHOLIC PRIMARY SCHOOL FLEETWOOD	Funeral	08/01/2007	1
02021	OUT RAWCLIFFE CHURCH OF ENGLAND PRIMARY SCHOOL	Environmental Health Safety	07/11/2006	1

Page 1 04/06/2010 14:04



	Ologares R	7CtWCC11 01/03/2000 and 01/00/2007		
<b>School</b> 02021	OUT RAWCLIFFE CHURCH OF ENGLAND PRIMARY SCHOOL	Closure Reasons Environmental Health Safety	<b>Start Date</b> 06/11/2006	Days Close 1
02021	OUT RAWCLIFFE CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	12/10/2006	1
02032	SACRED HEART CATHOLIC PRIMARY SCHOOL THORNTON CLEVELEYS	No Electricity No Heating	01/12/2006	1
02102	HODGSON HIGH SCHOOL TECHNOLOGY COLLEGE	Adverse Weather Safety	19/01/2007	1
02130	GREAT ARLEY SCHOOL	Funeral	21/02/2007	1
02131	BROOKFIELD SCHOOL POULTON- LE-FYLDE	Safety Excessive Staff Absence	02/07/2007	1
02143	MCKEE CENTRE	Structural Damage	03/01/2007	1
04029	WEETON ST MICHAEL'S CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	No Electricity No Heating	07/12/2006	1
04042	TREALES CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity No Heating Safety	03/07/2007	1
04115	KIRKHAM CARR HILL 11-18 HIGH SCHOOL	Other - A chemical explosion occurred in Pre Excessive Staff Absence	02/07/2007	1
04115	KIRKHAM CARR HILL 11-18 HIGH SCHOOL	Excessive Staff Absence	02/07/2007	1
06001	BLESSED SACRAMENT CATHOLIC PRIMARY SCHOOL PRESTON	Environmental Health Safety Excessive Staff Absence	02/07/2007	1
06002	BROOKFIELD COMMUNITY PRIMARY SCHOOL	Other - Chemical explosion in the local vicini	02/07/2007	1
06008	BROCKHOLES WOOD COMMUNITY PRIMARY SCHOOL	Other - Chemical explosion in the local vicini Excessive Staff Absence	02/07/2007	1
06010	PRESTON GRANGE PRIMARY SCHOOL	Police Action Safety Other - Chemical explosion in the locality, po	02/07/2007	1
06011	PRESTON GREENLANDS COMMUNITY PRIMARY SCHOOL	Environmental Health	02/07/2007	1
06016	MOOR NOOK COMMUNITY PRIMARY SCHOOL	Other - Chemical explosion in the locality	02/07/2007	1
06019	RIBBLETON AVENUE INFANT SCHOOL	Environmental Health Safety Other - Chemical explosion in the locality. Du	02/07/2007	1
06020	RIBBLETON AVENUE METHODIST JUNIOR SCHOOL	Other - Chemical explosion in the locality. Du Excessive Staff Absence	02/07/2007	1
06021	THE ROEBUCK SCHOOL	Other - A sickness bug is sweeping through	06/10/2006	1

Page 2 04/06/2010 14:04



	Ologuica k	7CtWCC11 0 1/03/2000 and 3 1/00/2001		
School 06025	ST BERNARD'S CATHOLIC PRIMARY SCHOOL PRESTON	Closure Reasons Adverse Weather Safety	<b>Start Date</b> 24/01/2007	Days Close 1
06025	ST BERNARD'S CATHOLIC PRIMARY SCHOOL PRESTON	Adverse Weather Safety	23/01/2007	1
06025	ST BERNARD'S CATHOLIC PRIMARY SCHOOL PRESTON	Adverse Weather Safety	22/01/2007	1
06025	ST BERNARD'S CATHOLIC PRIMARY SCHOOL PRESTON	Adverse Weather Safety	19/01/2007	1
06025	ST BERNARD'S CATHOLIC PRIMARY SCHOOL PRESTON	Adverse Weather Safety	18/01/2007	.5
06029	ST MARIA GORETTI CATHOLIC PRIMARY SCHOOL PRESTON	Police Action Other - Chemical explosion in the local vicini	02/07/2007	1
06035	PRESTON FISHWICK PRIMARY SCHOOL	Other - Chemical explosion in the locality, du	02/07/2007	1
06036	ST TERESA'S CATHOLIC PRIMARY SCHOOL PRESTON	Other - Chemical explosion in the locality. Du Excessive Staff Absence	02/07/2007	1
06051	GRIMSARGH ST MICHAEL'S CHURCH OF ENGLAND PRIMARY SCHOOL	Other - Chemical explosion in the locality	02/07/2007	1
06051	GRIMSARGH ST MICHAEL'S CHURCH OF ENGLAND PRIMARY SCHOOL	Police Action	02/07/2007	1
06064	BRABINS ENDOWED SCHOOL	No Electricity Other - Adverse weather condition.	19/01/2007	1
06064	BRABINS ENDOWED SCHOOL	Funeral	02/11/2006	1
06066	ALSTON LANE CATHOLIC PRIMARY SCHOOL LONGRIDGE	Police Action Other - Chemical explosion in the locality. Th Excessive Staff Absence	02/07/2007	1
06069	ST WILFRID'S ROMAN CATHOLIC PRIMARY SCHOOL LONGRIDGE	Safety Other - Chemical Explosion in the local vicini	02/07/2007	1
06071	LONGSANDS COMMUNITY PRIMARY SCHOOL	Environmental Health Safety Other - Chemical explosion in the local vicini Excessive Staff Absence	02/07/2007	1
06101	FULWOOD HIGH SCHOOL - ANNEXE	Excessive Staff Absence	02/07/2007	1
06101	FULWOOD HIGH SCHOOL AND ARTS COLLEGE	Excessive Staff Absence	02/07/2007	1
06104	ASHTON COMMUNITY SCIENCE COLLEGE	Excessive Staff Absence	02/02/2007	1
06104	CITY OF PRESTON HIGH SCHOOL	Excessive Staff Absence	02/02/2007	1
06104	ASHTON COMMUNITY SCIENCE COLLEGE	Excessive Staff Absence	01/02/2007	1

Page 3 04/06/2010 14:04



Closures between 01/09/2000 and 31/00/2007					
School 06104	CITY OF PRESTON HIGH SCHOOL	Closure Reasons Excessive Staff Absence	<b>Start Date</b> 01/02/2007	Days Close	
06105	MOOR PARK BUSINESS AND ENTERPRISE SCHOOL	Other - Chemical explosion in the local vicini	02/07/2007	1	
06131	MOORBROOK SCHOOL	Environmental Health Safety Excessive Staff Absence	15/11/2006	1	
06131	MOORBROOK SCHOOL	Environmental Health Safety Excessive Staff Absence	14/11/2006	1	
06140	GOLDEN HILL SCHOOL (PRESTON CENTRE)	Other - Due to the explosion at the Redscar	02/07/2007	1	
06604	DEEPDALE INFANTS SCHOOL	Excessive Staff Absence	02/07/2007	1	
07001	CUERDEN CHURCH SCHOOL BAMBER BRIDGE	Moving premises	04/09/2006	5	
07028	FARINGTON MOSS ST PAUL'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	21/06/2007	1	
07028	FARINGTON MOSS ST PAUL'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	20/06/2007	1	
07028	FARINGTON MOSS ST PAUL'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	19/06/2007	1	
07028	FARINGTON MOSS ST PAUL'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	18/06/2007	1	
07028	FARINGTON MOSS ST PAUL'S CHURCH OF ENGLAND PRIMARY SCHOOL	Flood No Electricity	14/06/2007	1	
07033	NEW LONGTON ALL SAINTS' CHURCH OF ENGLAND PRIMARY SCHOOL	Safety Other - With necessary building work taking	09/02/2007	.5	
07044	WHITEFIELD PRIMARY SCHOOL	Funeral	13/07/2007	1	
07051	SAMLESBURY CHURCH OF ENGLAND SCHOOL	No Electricity	28/06/2007	1	
07108	LOSTOCK HALL COMMUNITY HIGH SCHOOL	Environmental Health Flood Safety	19/07/2007	1	
07108	LOSTOCK HALL COMMUNITY HIGH SCHOOL	Environmental Health Flood Safety	18/07/2007	1	
07110	PRIORY TECHNOLOGY COLLEGE	Industrial action	02/11/2006	1	
08002	BURSCOUGH BRIDGE METHODIST VOLUNTARY CONTROLLED PRIMARY SCHOOL	Safety Moving premises	19/07/2007	1	

Page 4 04/06/2010 14:04



	Ciosures i	Detween 01/09/2006 and 31/08/2007		
School 08002	BURSCOUGH BRIDGE	Closure Reasons Safety	<b>Start Date</b> 18/07/2007	Days Close 1
	METHODIST VOLUNTARY CONTROLLED PRIMARY SCHOOL	Moving premises		
08022	RUFFORD CHURCH OF ENGLAND PRIMARY SCHOOL	No Water No Heating Safety	22/02/2007	1
		Other - Due to the failure of the boiler and th		
08023	HOLMESWOOD METHODIST SCHOOL	No Electricity No Heating	19/01/2007	1
08025	DOWNHOLLAND - HASKAYNE VOLUNTARY AIDED CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	19/01/2007	1
08028	ST MARY'S CATHOLIC PRIMARY SCHOOL SCARISBRICK	Safety	16/07/2007	1
08036	ST JAMES' CATHOLIC PRIMARY SCHOOL SKELMERSDALE	Breakdown of equipment Adverse Weather Structural Damage Safety	19/01/2007	1
08036	ST JAMES' CATHOLIC PRIMARY SCHOOL SKELMERSDALE	Breakdown of equipment Adverse Weather Structural Damage Safety	18/01/2007	.5
08051	ST JOHN'S CATHOLIC PRIMARY SCHOOL SKELMERSDALE	Breakdown of equipment No Heating	05/02/2007	1
08061	UPHOLLAND ROBY MILL CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	Unplanned event	03/05/2007	1
08063	CRAWFORD VILLAGE PRIMARY SCHOOL	Flood	15/06/2007	1
08064	WRIGHTINGTON MOSSY LEA PRIMARY SCHOOL	No Electricity	28/11/2006	1
08067	ST JOSEPH'S CATHOLIC PRIMARY SCHOOL WRIGHTINGTON	No Electricity	30/11/2006	1
08067	ST JOSEPH'S CATHOLIC PRIMARY SCHOOL WRIGHTINGTON	Moving premises	30/10/2006	1
08067	ST JOSEPH'S CATHOLIC PRIMARY SCHOOL WRIGHTINGTON	Moving premises	20/10/2006	1
08070	DALTON ST MICHAEL'S CHURCH OF ENGLAND PRIMARY SCHOOL	Breakdown of equipment Flood No Heating Other - Staff toilet unusable (in addition to lac	10/11/2006	1
08070	DALTON ST MICHAEL'S CHURCH OF ENGLAND PRIMARY SCHOOL	Environmental Health No Water Safety	11/09/2006	1
08071	TARLETON COMMUNITY PRIMARY SCHOOL	No Heating	25/01/2007	1

Page 5 04/06/2010 14:04



Closules between 01/03/2000 and 31/00/2007					
<b>School</b> 08071	TARLETON COMMUNITY PRIMARY SCHOOL	Closure Reasons No Electricity	<b>Start Date</b> 18/01/2007	Days Close .5	
08076	BANKS METHODIST PRIMARY SCHOOL	No Heating Safety	09/02/2007	1	
08076	BANKS METHODIST PRIMARY SCHOOL	No Heating Safety Other - Strong smell of gas 7.30am, the gas	16/10/2006	1	
08112	TARLETON HIGH SCHOOL	No Electricity No Heating Adverse Weather	18/01/2007	.5	
08135	HOPE HIGH SCHOOL (FORMER BEACON SCHOOL)	Breakdown of equipment Safety	06/07/2007	1	
08137	WEST LANCASHIRE COMMUNITY HIGH SCHOOL		05/09/2006	1	
08137	WEST LANCASHIRE COMMUNITY HIGH SCHOOL		04/09/2006	1	
09002	DUKE STREET PRIMARY SCHOOL	Safety Moving premises	19/07/2007	1	
09002	DUKE STREET PRIMARY SCHOOL	Safety Moving premises	18/07/2007	.5	
09022	ADLINGTON PRIMARY SCHOOL	No Heating	13/11/2006	1	
09023	ST JOSEPH'S CATHOLIC PRIMARY SCHOOL WITHNELL	No Water	22/06/2007	1	
09025	CLAYTON-LE-WOODS MANOR ROAD PRIMARY SCHOOL	Adverse Weather Safety	19/01/2007	1	
09025	CLAYTON-LE-WOODS MANOR ROAD PRIMARY SCHOOL	Adverse Weather Safety	19/01/2007	1	
09031	BRINDLE GREGSON LANE PRIMARY SCHOOL	Funeral	18/04/2007	.5	
09033	CHRIST CHURCH CHARNOCK RICHARD CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity No Heating	19/01/2007	1	
09033	CHRIST CHURCH CHARNOCK RICHARD CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity No Heating Safety	20/11/2006	.5	
09035	CLAYTON-LE-WOODS CHURCH OF ENGLAND PRIMARY SCHOOL	Unplanned event	03/05/2007	1	
09036	COPPULL ST JOHN'S CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	Breakdown of equipment No Heating	05/02/2007	1	

Page 6 04/06/2010 14:04



	Closules	Jetween 01/03/2000 and 31/06/2007		
<b>School</b> 09038	ST OSWALD'S CATHOLIC PRIMARY SCHOOL COPPULL	Closure Reasons No Heating Contractual Delays Safety Moving premises Other - School is closing for health & safety r	<b>Start Date</b> 19/07/2007	Days Close
09038	ST OSWALD'S CATHOLIC PRIMARY SCHOOL COPPULL	No Heating Contractual Delays Safety Moving premises Other - School is closing for health & safety r	18/07/2007	1
09038	ST OSWALD'S CATHOLIC PRIMARY SCHOOL COPPULL	No Heating Contractual Delays Safety Moving premises Other - School is closing for health & safety r	17/07/2007	1
09038	ST OSWALD'S CATHOLIC PRIMARY SCHOOL COPPULL	No Heating Contractual Delays Safety Moving premises Other - School is closing for health & safety r	16/07/2007	1
09039	COPPULL PRIMARY SCHOOL	Safety Other - The nursery ONLY is closed today. B	19/07/2007	1
09039	COPPULL PRIMARY SCHOOL	Safety Other - The nursery ONLY is closed today. B	18/07/2007	1
09039	COPPULL PRIMARY SCHOOL	Safety Other - The nursery ONLY is closed today. B	17/07/2007	1
09039	COPPULL PRIMARY SCHOOL	Safety Other - The nursery ONLY is closed today. B	16/07/2007	1
09046	HESKIN PEMBERTON'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Water	19/06/2007	.5
09046	HESKIN PEMBERTON'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	07/03/2007	.5
09101	CHORLEY SOUTHLANDS HIGH SCHOOL	Funeral	22/01/2007	.5
09103	HOLY CROSS CATHOLIC HIGH SCHOOL A SPECIALIST SCIENCE & SPORTS COLLEGE	No Electricity	11/01/2007	.5
11010	ACCRINGTON ST JOHN WITH ST AUGUSTINE CHURCH OF ENGLAND PRIMARY SCHOOL	Fire	06/11/2006	1
11020	OSWALDTWISTLE ST ANDREW'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Heating	23/01/2007	1
11029	CLAYTON-LE-MOORS MOUNT PLEASANT PRIMARY SCHOOL	Other - The school is to be used as a polling	03/05/2007	1

Page 7 04/06/2010 14:04



	Closures between 01/09/2006 and 31/08/2007					
School		Closure Reasons	Start Date	Days Close		
11041	ST WULSTAN'S ROMAN CATHOLIC PRIMARY SCHOOL GREAT HARWOOD	Safety	31/10/2006	1		
11052	BOLTON BY BOWLAND CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	No Electricity Adverse Weather	18/01/2007	.5		
11063	GRINDLETON CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	No Heating	29/11/2006	1		
11063	GRINDLETON CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	No Water No Heating	27/11/2006	1		
11063	GRINDLETON CHURCH OF ENGLAND VOLUNTARY AIDED PRIMARY SCHOOL	Breakdown of equipment No Heating	20/11/2006	1		
11067	BRENNANDS ENDOWED PRIMARY SCHOOL SLAIDBURN	No Electricity No Heating	19/01/2007	1		
11073	ST MARY'S ROMAN CATHOLIC PRIMARY SCHOOL OSBALDESTON	Environmental Health	22/12/2006	1		
11109	ST AUGUSTINE'S ROMAN CATHOLIC HIGH SCHOOL BILLINGTON	Contractual Delays Safety	06/09/2006	1		
11109	ST AUGUSTINE'S ROMAN CATHOLIC HIGH SCHOOL BILLINGTON	Contractual Delays Safety	05/09/2006	1		
11110	BOWLAND HIGH SCHOOL - WITH SPECIALIST STATUS IN PERFORMING ARTS	Safety	12/10/2006	1		
11110	BOWLAND HIGH SCHOOL - WITH SPECIALIST STATUS IN PERFORMING ARTS	Safety	12/10/2006	1		
11110	BOWLAND HIGH SCHOOL - WITH SPECIALIST STATUS IN PERFORMING ARTS	Safety	11/10/2006	1		
11113	RIBBLESDALE HIGH SCHOOL/TECHNOLOGY COLLEGE	Adverse Weather Safety	19/01/2007	1		
11113	RIBBLESDALE HIGH SCHOOL/TECHNOLOGY COLLEGE	Adverse Weather Safety	18/01/2007	.5		
11132	GREAT HARWOOD NORTH CLIFFE SCHOOL	Other -	10/01/2007	1		
11142	OSWALDTWISTLE SCHOOL	Breakdown of equipment No Heating	03/01/2007	1		
12028	ST AUGUSTINE OF CANTERBURY ROMAN CATHOLIC PRIMARY SCHOOL BURNLEY	Breakdown of equipment No Heating	17/11/2006	1		

Page 8 04/06/2010 14:04



	Ologuico i	octweeli 01/03/2000 alia 01/00/2001		
<b>School</b> 12028	ST AUGUSTINE OF CANTERBURY ROMAN CATHOLIC PRIMARY SCHOOL BURNLEY	Closure Reasons Breakdown of equipment Safety Other - Severe fumes from central heating b	<b>Start Date</b> 03/11/2006	Days Close 1
12028	ST AUGUSTINE OF CANTERBURY ROMAN CATHOLIC PRIMARY SCHOOL BURNLEY	Breakdown of equipment Safety Other - Severe fumes from central heating b	03/11/2006	1
12035	BURNLEY STONEYHOLME COMMUNITY PRIMARY SCHOOL	Funeral	06/09/2006	1
12136	RIDGEWOOD COMMUNITY HIGH SCHOOL - FORMER	No Water No Heating Other - The school is closed due to repair to	03/07/2007	1
12136	RIDGEWOOD COMMUNITY HIGH SCHOOL - FORMER	No Water No Heating Other - The school is closed due to repair to	02/07/2007	1
12136	RIDGEWOOD COMMUNITY HIGH SCHOOL - FORMER	No Water No Heating	29/06/2007	1
12136	RIDGEWOOD COMMUNITY HIGH SCHOOL - FORMER	No Water No Heating	27/06/2007	1
12136	RIDGEWOOD COMMUNITY HIGH SCHOOL - FORMER	No Water No Heating	25/06/2007	1
13001	BRADLEY PRIMARY SCHOOL	Funeral	09/01/2007	1
13004	HOLY SAVIOUR ROMAN CATHOLIC PRIMARY SCHOOL NELSON	Breakdown of equipment No Heating	05/02/2007	1
13014	BARROWFORD ST THOMAS CHURCH OF ENGLAND PRIMARY SCHOOL	Breakdown of equipment No Heating	13/11/2006	1
13016	BARROWFORD SCHOOL	No Electricity	19/03/2007	1
13016	BARROWFORD SCHOOL	No Electricity	12/03/2007	1
13017	HOLY TRINITY ROMAN CATHOLIC PRIMARY SCHOOL BRIERFIELD	No Water	08/12/2006	1
13018	BRIERFIELD WALTER STREET PRIMARY SCHOOL	No Heating	16/01/2007	1
13018	BRIERFIELD WALTER STREET PRIMARY SCHOOL	Funeral	09/01/2007	.5
13018	BRIERFIELD WALTER STREET PRIMARY SCHOOL	Funeral	15/11/2006	.5
13018	BRIERFIELD WALTER STREET PRIMARY SCHOOL	No Heating	13/11/2006	1
13022	WHEATLEY LANE METHODIST VOLUNTARY AIDED PRIMARY SCHOOL	No Heating	03/01/2007	3
13023	ROUGHLEE CHURCH OF ENGLAND PRIMARY SCHOOL	No Electricity	22/09/2006	1

Page 9 04/06/2010 14:04



<b>School</b> 13024	HIGHAM ST JOHN'S CHURCH OF ENGLAND PRIMARY SCHOOL	Closure Reasons No Water	<b>Start Date</b> 11/10/2006	Days Close
13029	COLNE LORD STREET SCHOOL	Contractual Delays Unplanned event	03/05/2007	1
13030	COLNE PARK PRIMARY SCHOOL	Adverse Weather Safety	19/01/2007	1
13036	REEDLEY PRIMARY SCHOOL	No Water	08/12/2006	1
13040	BARNOLDSWICK CHURCH OF ENGLAND CONTROLLED PRIMARY SCHOOL	No Electricity No Heating	05/02/2007	1
13042	BARNOLDSWICK GISBURN ROAD COMMUNITY PRIMARY SCHOOL	No Heating	05/02/2007	1
13042	BARNOLDSWICK GISBURN ROAD COMMUNITY PRIMARY SCHOOL		15/01/2007	1
13042	BARNOLDSWICK GISBURN ROAD COMMUNITY PRIMARY SCHOOL		15/01/2007	1
13101	COLNE PRIMET HIGH SCHOOL	Adverse Weather Safety	22/01/2007	1
13101	COLNE PRIMET HIGH SCHOOL	Adverse Weather Safety	19/01/2007	1
14005	SHARNEYFORD PRIMARY SCHOOL	No Water No Heating	26/02/2007	1
14011	BACUP HOLY TRINITY STACKSTEADS CHURCH OF ENGLAND PRIMARY SCHOOL	Funeral	16/11/2006	1
14023	ST PETER'S ROMAN CATHOLIC PRIMARY SCHOOL NEWCHURCH	No Water	26/06/2007	1
14023	ST PETER'S ROMAN CATHOLIC PRIMARY SCHOOL NEWCHURCH	Adverse Weather Safety	22/01/2007	1
14023	ST PETER'S ROMAN CATHOLIC PRIMARY SCHOOL NEWCHURCH	Adverse Weather Safety	19/01/2007	1
14023	ST PETER'S ROMAN CATHOLIC PRIMARY SCHOOL NEWCHURCH	Adverse Weather Safety	18/01/2007	.5
14033	STONEFOLD ST JOHN'S CHURCH OF ENGLAND PRIMARY SCHOOL	No Water	13/06/2007	.5
14143	LEABROOK SHORT STAY SCHOOL	Excessive Staff Absence	25/06/2007	1
14143	LEABROOK SHORT STAY SCHOOL	No Heating	24/01/2007	1
14143	LEABROOK SHORT STAY SCHOOL	Other - School is used for a bi-election at ve	28/09/2006	1
14161	HASLINGDEN HILLSIDE NURSERY SCHOOL	No Heating	02/11/2006	1

Page 10 04/06/2010 14:04